AETHER AG / ARIEL AG SERIES



♂ AETHER AG 85



AETHER AG 70



AETHER AG 60





ARIEL AG 55

Welcome to Osprey. We pride ourselves on creating the most functional, durable and innovative carrying product for your adventures. Please refer to this owner's manual for information on product features, use, maintenance, customer service and warranty.



OWNER'S MANUAL

OVERVIEW







SHARED FEATURES

- 1 Integrated & detachable raincover
- 2 Dual upper side compression straps
- 3 Dual access side stretch mesh pockets
- 4 Lower Inside-Out™ compression straps
- 5 Zippered hipbelt pockets
- 6 Stow-on-the-Go™ trekking pole attachment
- 7 Additional main compartment access
- 8 Large stretch mesh front panel pocket
- 9 Dual front compression straps with StraightJacket[™] compression
- 10 Dual ice tool loops with bungee tie-offs
- 11 Zippered sleeping bag compartment with collapsible divider
- 12 Removable sleeping pad straps
- 13 Integrated FlapJacket™ cover for lidless use
- 14 External hydration reservoir sleeve

FABRIC

| MAIN | 210D Nylon Dobby |
|--------|-------------------------------------|
| ACCENT | 210D High Tenacity Nylon Shadow Box |
| воттом | 500D Nylon Packcloth |

OVERVIEW



AETHER AG 85

| SPECS | М | L |
|--------------|-----------|----------|
| Cubic Inches | 5187 | 5370 |
| Liters | 85 | 88 |
| Pounds | 5.37 | 5.42 |
| Kilograms | 2.44 | 2.46 |
| Inches | 34h x 17v | vx15d |
| Centimeters | 87h x 43v | v x 39d |
| | | |
| LOAD RANGE | 35-60 lb | 15-27 kg |



UNIQUE FEATURE

1 Large front J-zip access to main compartment

AETHER AG 70 MEN'S

| SPECS | м | L |
|--------------|----------|---------|
| Cubic Inches | 4272 | 4455 |
| Liters | 70 | 73 |
| Pounds | 5.21 | 5.48 |
| Kilograms | 2.37 | 2.49 |
| Inches | 33h x 16 | wx13d |
| Centimeters | 85h x 40 | w x 34d |
| | | |



| SPECS | м | L |
|--------------|-----------------|------|
| Cubic Inches | 4272 | 4455 |
| Liters | 70 | 73 |
| Pounds | 5.21 | 5.48 |
| Kilograms | 2.37 | 2.49 |
| Inches | 33h x 16w x | 13d |
| Centimeters | 85h x 40w x 34d | |
| | | |
| | | |





UNIQUE FEATURE

1 Large front J-zip access to main compartment

AETHER AG 60 MEN'S

| SPECS | М | L |
|--------------|-----------------|----------|
| Cubic Inches | 3661 | 3845 |
| Liters | 60 | 63 |
| Pounds | 5.15 | 5.59 |
| Kilograms | 2.34 | 2.53 |
| Inches | 33h x 15w x | 12d |
| Centimeters | 83h x 39w x 31d | |
| | | |
| LOAD RANGE | 35-60 lb 3 | 15-27 kg |



UNIQUE FEATURE

1 Side panel zip access to main compartment



ARIEL AG 65

| SPECS | ws | WM |
|-------------------------------|-----------------|----------|
| Cubic Inches | 3783 | 3967 |
| Liters | 62 | 65 |
| Pounds | 4.91 | 5.12 |
| Kilograms | 2.23 | 2.32 |
| Inches | 31h x 15w | x 12d |
| Centimeters | 80h x 39w x 32d | |
| | | |
| LOAD RANGE 35-60 lb 15-27 k | | 15-27 kg |

LOAD RANGE



UNIQUE FEATURE

1 Large front J-zip access to main compartment

ARIEL AG 55 WOMEN'S

| SPECS | ws | WM |
|--------------|-----------------|------|
| Cubic Inches | 3173 | 3356 |
| Liters | 52 | 55 |
| Pounds | 4.88 | 5.10 |
| Kilograms | 2.22 | 2.31 |
| Inches | 31h x 15w x 12d | |
| Centimeters | 79h x 38w x 31d | |
| | | |

LOAD RANGE 35-60 lb | 15-27 kg



UNIQUE FEATURE

1 Side panel zip access to main compartment

CARRY



1 ANTI-GRAVITY[™] SUSPENSION

+ LightWire™ tensioned, full peripheral frame comfortably transfers pack load

2 ANTI-GRAVITY[™] BACKPANEL

 Top to bottom suspended mesh wraps shoulders, back and hips for a fully integrated backpanel fit

3 ISOFORM⁵ ANTI-GRAVITY[™] MESH HARNESS

- + Interchangeable sizes for a precise, personalized fit
- + Adjustable suspended harness with structural load lifter bar for load transfer and comfort
- + Die-cut foam lower and mesh ExoForm[™] wrap upper
- + Adjustable sternum strap with safety whistle

4 ISOFORM⁵ CM[™] HIPBELT

- + Custom heat molding for a precise, personalized fit
- + Mesh bridge between pads pulls in the lumbar to support heavy loads



OSPREY ANTI-GRAVITY™ (AG™)

A continuous panel of lightweight mesh extends from the top of the backpanel to the hipbelt. The seamless structure contours automatically to the body, providing outstanding fit and unrestricted movement when wearing the pack.

ISOFORM⁵ CM[™]

Osprey's IsoForm⁵ CM[™] hipbelt carries on our reputation for outstanding fit and comfort, offering custom heat molding for a precise, personalized fit.



SIZING / FIT



AETHER AG - MEN'S SIZING

M 18-21" / 46-53 cm

L 20-23" / 51-58 cm

ARIEL AG - WOMEN'S SIZING

- S 16-19" / 40-48 cm
- M 18-21" / 46-53 cm

HARNESS SIZING

- A Completely loosen the pack's hipbelt straps, harness straps and load lifters.
- B Load the pack with 10-20lbs/4-9kg of gear.
- C Put on the pack ensuring the hipbelt is centered and resting over the user's hipbones. The hipbelt padding should sit half above and half below the hipbone. Buckle the hipbelt and tighten the hipbelt straps.



HARNESS FIT


The harness straps should wrap fully around your shoulders with no gaps between the pack and back. The padded part of the harness straps should end 1"/2.5cm- 2"/5cm below the armpits and the sternum strap adjusted to approximately 2"/5cm below the collarbone.



ILIAC CREST









E Find the harness yoke or where the harness straps come together near the user's neck. The yoke should be 2"/5cm below the C7 vertebra. The C7 vertebra can be located by tilting the head down and finding the bone that protrudes at the base of the neck.



F Make note of how far the yoke is from the C7 vertebra. Based on this measurement, the torso can be adjusted to the desired 2"/5cm.



FEATURE DETAILS







DUAL ACCESS SIDE STRETCH MESH POCKETS 85L/70L/60L/65L/55L Dual access side stretch mesh pockets secure contents and provide access when wearing the pack. Items can be inserted from the top or side.



DUAL UPPER SIDE COMPRESSION STRAPS 85L/70L/60L/65L/55L Dual upper side compression straps with quick release buckles compress and stabilize loads for optimal carry and can be used to secure items to side of pack.



STOW-ON-THE-GO™ TREKKING POLE ATTACHMENT 85L/70L/60L/65L/55L

Osprey's Stow-on the-Go™ trekking pole attachment is designed to quickly attach and carry trekking poles while wearing a pack.

- Locate the elasticized loop on the lower left side of pack. While pulling the loop А out from the pack, insert the basket end of the trekking poles into the loop.
- On the left harness strap locate the trekking pole icon. Pull up on the cord to В open, place pole handles in the loop and tighten with the cord lock to secure.
- С Reverse these steps to remove the trekking poles.



LOWER INSIDEOUT™ COMPRESSION STRAPS 85L/70L/60L/65L/55L

InsideOut™ Compression straps compress pack when not full to ensure stable carry and secure items in side pockets. They can be routed inside or outside of the side mesh pockets:

A Locate duckbill buckle at the top and side of each side pocket and unthread the webbing.

B Route webbing by positioning the slider buckle inside or outside of the side pocket and reverse the process to reattach webbing.

FEATURE DETAILS





DUAL STRAIGHTJACKET™ COMPRESSION STRAPS 85L / 70L / 60L / 65L / 55L Dual front panel compression straps help stabilize loads. When minimal pack volume is needed, the compression straps can be attached to the additional StraightJacket™



SLEEPING BAG COMPARTMENT

85L / 70L / 60L / 65L / 55L Lower zippered compartment for dedicated sleeping bag storage. Detach the divider for unimpeded access to pack interior. Unthread the divider webbing from the triglide buckle, and reverse to reattach.



SLEEPING PAD STRAPS

85L / 70L / 60L / 65L / 55L Removable sleeping pad straps for external attachment.

A Unclip the two sleeping pad strap buckles

- B Remove the webbing from the triglide at the base of the pack
- C Reverse to reattach



FLAPJACKET COVER

85L / 70L / 60L / 65L / 55L When using pack without top lid, unfold FlapJacket™ buckles and attach to the front vertical compression straps.



DUAL ICE TOOL ATTACHMENT 85L/70L/60L/65L/55L

The ice tool loops and bungee tieoffs provide secure tool attachment.

- A Slide the tool shaft through the top of the ice tool loop and flip the shaft up toward the top of the pack.
- B Loosen the bungee cord lock and route the tool handle through the bungee. Tighten the cord lock nesting it into the Y-clip to secure the tool into place.
- C Reverse to remove.



EXTERNAL RESERVIOR SLEEVE

85L / 70L / 60L / 65L / 55L External reservoir sleeve located behind shoulder harness allows for easy loading/ unloading. Place reservoir inside sleeve to help ensure proper pack weight distribution. Clip reservoir to buckled loop to keep upright. For more information on this product and others, pack care, how to pack your pack, our lifetime guarantee, or to contact Osprey Customer Service, visit **ospreyeurope.com**.



OWNER'S MANUAL

ospreyeurope.com